

Equations

$$\vec{F}_{12} = \frac{1}{4\pi\epsilon_0} \frac{q_1 q_2}{r_{12}^2} \hat{r}_{12} \quad (\text{Point Charge}) \quad \vec{E} = \vec{F}/q_{test} = \frac{1}{4\pi\epsilon_0} \frac{q}{r_{12}^2} \hat{r}_{12}$$

$$\Phi = \oint \vec{E} \cdot d\vec{A} = \oint \vec{E} \cdot \hat{n} dA = \frac{q_{enclosed}}{\epsilon_0}, \quad \Phi = E A \quad (\text{special cases})$$

$$(\text{Sphere}) A = 4\pi r^2, (\text{Cylinder}) A = 2\pi r L, (\text{Sheet}) A = L^2 + L^2 (\text{two sides})$$

$$\vec{F} = m\vec{a}, \quad x = x_0 + v_{0x}t + \frac{1}{2}a_x t^2, \quad v_x = v_{0x} + a_x t$$

$$-\Delta U = W = \int \vec{F} \cdot d\vec{s}, \quad \text{Kinetic Energy} = \frac{1}{2}mv^2$$

$$\vec{F}_{total} = \sum_i \vec{F}_i \quad \vec{E}_{total} = \sum_i \vec{E}_i \quad V_{total} = \sum_i V_i$$

$$Q = CV, \quad U = \frac{1}{2}CV^2 = \frac{1}{2} \frac{Q^2}{C}, \quad C = \kappa C_0, \quad E = \frac{E_0}{\kappa}, \quad \epsilon = \kappa \epsilon_0$$

$$(V_F - V_I) = - \int_I^F \vec{E} \cdot d\vec{s}, \quad E_x = -\frac{\partial V}{\partial x}, \quad E_y = -\frac{\partial V}{\partial y}, \quad E_z = -\frac{\partial V}{\partial z},$$

$$C = \frac{\epsilon_0 A}{d} \quad \text{Parallel Plate}$$

$$C = \frac{2\pi\epsilon_0 L}{\ln(b/a)} \quad \text{Cylindrical}$$

$$C = 4\pi\epsilon_0 \frac{ab}{a-b} \quad \text{Spherical}$$

$$(\text{series}) 1/C_{equiv} = 1/C_1 + 1/C_2 + \dots, \quad (\text{parallel}) C_{equiv} = C_1 + C_2 + \dots$$

Constants

$$\epsilon_0 = 8.85 \times 10^{-12} \frac{F}{m}$$

$$\epsilon_0 = 8.85 \times 10^{-12} \frac{C^2}{Nm^2}$$

$$e = 1.60 \times 10^{-19} C$$

$$M_{electron} = 9.11 \times 10^{-31} kg$$

$$M_{proton} = 1.67 \times 10^{-27} kg$$

$$k = \frac{1}{4\pi\epsilon_0}$$